



Solution for 80-200mm
depth light box and channel letter
5 years warranty




ADM-6221-2835-2W-LBT



Features

- **Osram** top-tier LED chip
- Micro prism lens producing a wide, even light spread,Max:P:D=3.5:1
- Versatile mounting options
- Constant Current Technology
- 180 degree lens

Dimensions




Technical parameters

Item	Parameter		Unit
LED Type	Osram LED 2835 SMD		--
LED Quantity	2		Leds
Power	2		W
Working Voltage	12	24	V
Working Current	217	108	mA
Luminous Flux	260		Lm
Beam Angle	180		°
Driving mode	Constant current		--
Dimension	62*21*8.1		mm
Color Temperature	3000/4000/6500		k
Module's Center Dis.	205		mm
Concatenation	20		pcs
IP Rating	IP67		--
Working Temp.	-20~45		°C
Certificates	CE,RoHS,UL		--


Add.:F5, Bldg A, Smart Innovation Centre, Hangcheng Industrial Zone, Bao'an District, Shenzhen, China
TEL: +86-755-23359791 E-mail:info@adledlight.com Web:www.adledlight.com



Led module light distribution graph



Comparison of lens



Normal bat-wing lens in market

size: $\Phi 12.1 \times H 4.5 \text{ mm}$
P:D=2:1




Adled reimaged LED prism lens technology

size: $\Phi 15.23 \times H 5.55 \text{ mm}$ "wide light spot"
P:D=3.5:1




Comparison of luminous efficiency



Lens in market

Adled lens

Installation



A. Max. number of modules in one chain when the power supplied from single end -20pcs

B. Max. number of modules in one chain when the power supplied from both ends -40pcs

NOTE:

- Incorrect connection may cause short circuit and product failure
- Make sure power supply is unplugged during LED wires connection
- Power supply should be DC12V

Add.:F5, Bldg A, Smart Innovation Centre, Hangcheng Industrial Zone, Bao'an District, Shenzhen, China

TEL: +86-755-23359791

E-mail:info@adledlight.com

Web:www.adledlight.com



Applications

- Medium depth channel letters
- Medium depth light boxes
- Recommended depth 8-20cm



Package

Item	Quantity per Carton(pcs)	Net Weight (kg)	Gross Weight (kg)	Carton Size(cm)
ADM-6221-2835-2W-LBT	1200	19	20.5	52*37*27

Add.:F5, Bldg A, Smart Innovation Centre, Hangcheng Industrial Zone, Bao'an District, Shenzhen, China
TEL: +86-755-23359791 E-mail:info@adledlight.com Web:www.adledlight.com